

GORE DISTRICT COUNCIL

Standard Tree Evaluation Method (STEM) Assessment Sheet

Address	16 Hilbre Avenue, Gore		ID Ref	TREE-83
Tree name	Quercus sp.			
Location of tree on the site	On the northern side of the house			
Legal address	Lot 1 DP 3571 & Lot 2 DP 3571			
DP Mapping	Mapping is correct			
Date of STEM assessment	22 June 2020	Assessed by	Brad Cadwallader	

Tree Dimensions

Height (m) (Nikon Forestry 550)	Canopy height f.g.l (m)	Canopy Spread (m) A	Canopy Spread (m) B	Girth (cm) Taken at .2 m
12.2 m	4.5 m	10.8 m	12 m	248 cm

Condition (Health) Evaluation

Points	3	9	15	21	27	Score
Form	Poor	Moderate	Good	Very Good	Specimen	9
Occurrence	Predominant	Common	Infrequent	Rare	Very Rare	15
Vigour & Vitality	Poor	Some	Good	Very Good	Excellent	21
Function	Minor	Useful	Important	Significant	Major	3
Age (years)	10+	20+	40+	80+	100+	15
Condition Subtotal						63

Amenity (Community Benefit) Evaluation

Points	3	9	15	21	27	Score
Stature (m)	3-8m	9 - 14m	15 - 20m	21 - 26m	27+	9
Visibility (km)	0.5	1.0	2.0	4.0	8.0	3
Proximity	Forest	Parkland	Group of 10+	Group of 3+	Solitary	15
Role	Minor	Moderate	Important	Significant	Major	3
Climate	Minor	Moderate	Important	Significant	Major	9
Amenity Subtotal						39

Notable Evaluation

Recognition Points	3	9	15	21	27	Score
Stature						
Feature	Local	District	Regional	National	International	
Form	Local	District	Regional	National	International	
Historic						
Age 100+	Local	District	Regional	National	International	
Association	Local	District	Regional	National	International	
Commemoration	Local	District	Regional	National	International	
Remnant	Local	District	Regional	National	International	
Relict	Local	District	Regional	National	International	
Scientific						
Source	Local	District	Regional	National	International	
Rarity	Local	District	Regional	National	International	
Endangered	Local	District	Regional	National	International	
Notable Subtotal						0

Total Evaluation Points 102

Refer to the STEM guidance and advice notes. Further information, or explanatory notes are provided below where necessary.


Further Notes/ Recommendations:

- House built in 1966 however tree appears older
- Tree has been poorly topped in recent years
- Reduced function score for debris nuisance

Notability Evaluation notes:

-

TREE LOCATION – T102 oak



TREE IMAGES

